

Acute Nonlocalized Abdominal Pain

Stomach pain occurs for various reasons. Imaging may help identify the source of pain. CT with contrast in the vein is the preferred examination for stomach pain with or without a fever. Contrast by mouth can be substituted in the event of poor kidney health or allergy to intravenous (IV) contrast materials. Pain with a fever may indicate infection or an abscess. CT is useful if an abscess is suspected because the doctor can drain the abscess at the same time. MRI may be helpful in distinguishing infected versus noninfected fluid. PET is useful if previous CT imaging did not find the source of the pain.

CT with contrast is the preferred scan for stomach pain after surgery. A complementary fluoroscopic study may be useful in evaluating postsurgical leaks. PET is not useful for stomach pain after surgery because it could lead to false-positive results.

CT is appropriate for stomach pain in people with weak immune systems. For patients unable to undergo CT, MRI may be helpful. MR enterography (https://www.radiologyinfo.org/en/info/mrenterography) (special MRI with IV and swallowed contrast) can be used for stable patients with a history of inflammatory bowel disease. PET can also be useful if previous CT imaging did not find the source of pain.

Pregnant patients with stomach pain may receive an MRI or an ultrasound to diagnose urinary tract infection, bladder stones, ectopic pregnancy, ovarian torsion, adnexal masses, placental abnormalities, acute cholecystitis, pancreatitis, or inflammatory bowel disease.

— By Celena Romero, RD, MBA, CPHQ, and Ryan Lee, MD, MBA, MRMD. This information originally appeared in the *Journal* of the American College of Radiology.

Disclaimer

This information is copied from the RadiologyInfo Web site (http://www.radiologyinfo.org) which is dedicated to providing the highest quality information. To ensure that, each section is reviewed by a physician with expertise in the area presented. All information contained in the Web site is further reviewed by an ACR (American College of Radiology) - RSNA (Radiological Society of North America) committee, comprising physicians with expertise in several radiologic areas.

However, it is not possible to assure that this Web site contains complete, up-to-date information on any particular subject. Therefore, ACR and RSNA make no representations or warranties about the suitability of this information for use for any particular purpose. All information is provided "as is" without express or implied warranty.

Please visit the RadiologyInfo Web site at http://www.radiologyInfo.org to view or download the latest information.

Note: Images may be shown for illustrative purposes. Do not attempt to draw conclusions or make diagnoses by comparing these images to other medical images, particularly your own. Only qualified physicians should interpret images; the radiologist is the physician expert trained in medical imaging.

Copyright

This material is copyrighted by either the Radiological Society of North America (RSNA), 820 Jorie Boulevard, Oak Brook, IL 60523-2251 or the American College of Radiology (ACR), 1891 Preston White Drive, Reston, VA 20191-4397. Commercial reproduction or multiple distribution by any traditional or electronically based reproduction/publication method is prohibited.

Copyright ® 2025 Radiological Society of North America, Inc.