

Acute Hand and Wrist Trauma

Injuries to the hand and wrist are common reasons for emergency room visits. X-rays are almost always the first imaging test used to evaluate the damage.

For blunt or penetrating types of injury, x-rays are usually enough to find any injury to tendons and bone. When injury is suspected but is not seen on the first x-ray, the next imaging tests that are usually appropriate include repeat x-ray in 14 days and CT or MRI without intravenous contrast (dye injected into the vein).

For wrist fractures seen on x-ray with suspected tendon or ligament damage, the next appropriate imaging can be MRI, ultrasound (US), MR, or CT arthrography (https://www.radiologyinfo.org/en/info/arthrog) (pictures taken after injection of contrast dye into joint). For hand fractures with suspected tendon or ligament damage, US and MRI without contrast are usually appropriate.

When an initial x-ray shows the wrist displaced from normal position without a fracture, CT and MRI of the wrist without contrast and MR arthrography are usually appropriate next imaging tests. CT arthrography may also be appropriate. When the hand is displaced from normal position, MRI without contrast or US is usually appropriate.

For penetrating injuries to the soft tissues of the hand or wrist not seen on x-ray, CT without contrast and US are usually appropriate next imaging tests. MRI without contrast may also be appropriate.

— By Shannon Rose, MPH, and Karin Dill, MD. This information originally appeared in the *Journal of the American College of Radiology*.

Disclaimer

This information is copied from the RadiologyInfo Web site (http://www.radiologyinfo.org) which is dedicated to providing the highest quality information. To ensure that, each section is reviewed by a physician with expertise in the area presented. All information contained in the Web site is further reviewed by an ACR (American College of Radiology) - RSNA (Radiological Society of North America) committee, comprising physicians with expertise in several radiologic areas.

However, it is not possible to assure that this Web site contains complete, up-to-date information on any particular subject. Therefore, ACR and RSNA make no representations or warranties about the suitability of this information for use for any particular purpose. All information is provided "as is" without express or implied warranty.

Please visit the RadiologyInfo Web site at http://www.radiologyInfo.org to view or download the latest information.

Note: Images may be shown for illustrative purposes. Do not attempt to draw conclusions or make diagnoses by comparing these images to other medical images, particularly your own. Only qualified physicians should interpret images; the radiologist is the physician expert trained in medical imaging.

Copyright

This material is copyrighted by either the Radiological Society of North America (RSNA), 820 Jorie Boulevard, Oak Brook, IL 60523-2251 or the American College of Radiology (ACR), 1891 Preston White Drive, Reston, VA 20191-4397. Commercial reproduction or multiple distribution by any traditional or electronically based reproduction/publication method is prohibited.

Copyright ® 2024 Radiological Society of North America, Inc.