

Lower Urinary Tract Symptoms-Suspicion of Benign Prostatic Hyperplasia

Men who suffer lower urinary tract symptoms (LUTS) such as incontinence or problems urinating may have benign prostatic hyperplasia (BPH) (https://www.radiologyinfo.org/en/info/bph), or enlargement of the prostate gland. An enlarged prostate gland may result in abnormal bladder function by causing bladder outlet obstruction, ultimately resulting in LUTS. LUTS may include a slow or weak urine stream, hesitancy in releasing urine, difficulty in emptying the bladder, and needing to get up at night to urinate.

Diagnosis of LUTS and possible BPH requires gathering the person's past medical history and performance of a physical examination to assess the severity of the symptoms. The physical examination will include an abdominal examination to check for bladder swelling, examining the penis, and a rectal examination.

An ultrasound of the pelvis (https://www.radiologyinfo.org/en/info/pelvus) (bladder and prostate) may be appropriate to examine men with LUTS who are suspected to have BPH. The ultrasound of the pelvis will assess bladder volume and residual urine after urination. It may also be possible to see an enlarged prostate gland pushing up on the bladder.

A retroperitoneal ultrasound (https://www.radiologyinfo.org/en/info/abdominus) of the kidneys may also be appropriate in evaluating LUTS related to BPH, especially in patients with abnormal kidney function, blood in the urine (https://www.radiologyinfo.org/en/info/hematuria), infection, or kidney stones (https://www.radiologyinfo.org/en/info/stones-renal). This examination includes imaging of the bladder, equivalent to ultrasound of the pelvis.

For more information, please visit the Enlarged Prostate (BPH) (https://www.radiologyinfo.org/en/info/bph) page.

— By Rachael Newman and Dianna M.E. Bardo, MD. This information originally appeared in the *Journal of the American College of Radiology*.

Disclaimer

This information is copied from the RadiologyInfo Web site (http://www.radiologyinfo.org) which is dedicated to providing the highest quality information. To ensure that, each section is reviewed by a physician with expertise in the area presented. All information contained in the Web site is further reviewed by an ACR (American College of Radiology) - RSNA (Radiological Society of North America) committee, comprising physicians with expertise in several radiologic areas.

However, it is not possible to assure that this Web site contains complete, up-to-date information on any particular subject. Therefore, ACR and RSNA make no representations or warranties about the suitability of this information for use for any particular purpose. All information is provided "as is" without express or implied warranty.

Please visit the RadiologyInfo Web site at http://www.radiologyinfo.org to view or download the latest information.

Note: Images may be shown for illustrative purposes. Do not attempt to draw conclusions or make diagnoses by comparing these images to other medical images, particularly your own. Only qualified physicians should interpret images; the radiologist is the physician expert trained in medical imaging.

Copyright

This material is copyrighted by either the Radiological Society of North America (RSNA), 820 Jorie Boulevard, Oak Brook, IL 60523-2251 or the American College of Radiology (ACR), 1891 Preston White Drive, Reston, VA 20191-4397. Commercial reproduction or multiple distribution by any traditional or electronically based reproduction/publication method is prohibited.

Lower Urinary Tract Symptoms-Suspicion of Benign Prostatic Hyperplasia Copyright© 2025, RadiologyInfo.org

Page 1 of 2 Reviewed Jul-25-2022 Copyright ® 2025 Radiological Society of North America, Inc.

Lower Urinary Tract Symptoms-Suspicion of Benign Prostatic Hyperplasia Copyright© 2025, RadiologyInfo.org