

## Hernia

An abdominal wall hernia is a bulge of fat, other tissue, or organ through a weakened area in the abdominal musculature. Symptoms vary and may include discomfort, a mass, bowel obstruction, or redness of the abdominal wall. Some people may not have any symptoms. Abdominal wall hernias may be present from birth or may be caused by a medical examination or treatment, result from trauma, or result from increased pressure in the abdomen or pelvis.

For abdominal wall hernias, including umbilical, ventral (including spigelian), incisional (at prior surgery incision), and lumbar (in the lower back), usually appropriate imaging includes ultrasound abdomen, (<a href="https://www.radiologyinfo.org/en/info/abdominus">https://www.radiologyinfo.org/en/info/abdominus</a>) CT abdomen and pelvis (<a href="https://www.radiologyinfo.org/en/info/abdominct">https://www.radiologyinfo.org/en/info/abdominct</a>) with contrast, or CT abdomen and pelvis without contrast. MRI abdomen (<a href="https://www.radiologyinfo.org/en/info/mri-abdomen-pelvis">https://www.radiologyinfo.org/en/info/mri-abdomen-pelvis</a>) without and with contrast and MRI abdomen without contrast may also be appropriate.

For groin hernias, including inguinal and femoral, usually appropriate imaging includes ultrasound pelvis (<a href="https://www.radiologyinfo.org/en/info/pelvus">https://www.radiologyinfo.org/en/info/pelvus</a>), MRI pelvis without and with contrast, CT abdomen and pelvis without contrast, CT abdomen and pelvis without contrast, CT pelvis with contrast, or CT pelvis without contrast. MRI pelvis without contrast may be appropriate.

For deep pelvis hernias, including obturator, sciatic, and perineal, usually appropriate imaging includes MRI pelvis (https://www.radiologyinfo.org/en/info/mri-abdomen-pelvis) without and with contrast, CT abdomen and pelvis without contrast, CT abdomen and pelvis without contrast, CT pelvis with contrast, and CT pelvic without contrast. MRI pelvis without contrast may be appropriate.

For diaphragmatic hernias (including traumatic, Bochdalek, and Morgagni), usually appropriate imaging includes CT chest and abdomen (<a href="https://www.radiologyinfo.org/en/info/chestct">https://www.radiologyinfo.org/en/info/chestct</a>) with contrast or CT chest and abdomen without contrast. Radiography chest (<a href="https://www.radiologyinfo.org/en/info/chestrad">https://www.radiologyinfo.org/en/info/chestrad</a>), fluoroscopy upper gastrointestinal series (<a href="https://www.radiologyinfo.org/en/info/chestrat">https://www.radiologyinfo.org/en/info/chestrat</a>), MRI chest and abdomen (<a href="https://www.radiologyinfo.org/en/info/chestrat">https://www.radiologyinfo.org/en/info/chestrat</a>) without and with contrast, and MRI chest and abdomen without contrast may be appropriate.

— By Natalie Skopicki and Nicola Schieda, MD. This information originally appeared in the *Journal of the American College of Radiology*.

## Disclaimer

This information is copied from the RadiologyInfo Web site (http://www.radiologyinfo.org) which is dedicated to providing the highest quality information. To ensure that, each section is reviewed by a physician with expertise in the area presented. All information contained in the Web site is further reviewed by an ACR (American College of Radiology) - RSNA (Radiological Society of North America) committee, comprising physicians with expertise in several radiologic areas.

However, it is not possible to assure that this Web site contains complete, up-to-date information on any particular subject. Therefore, ACR and RSNA make no representations or warranties about the suitability of this information for use for any particular purpose. All information is provided "as is" without express or implied warranty.

Please visit the RadiologyInfo Web site at http://www.radiologyinfo.org to view or download the latest information.

**Note:** Images may be shown for illustrative purposes. Do not attempt to draw conclusions or make diagnoses by comparing these images to other medical images, particularly your own. Only qualified physicians should interpret images; the radiologist is the physician expert trained in medical imaging.

## Copyright

This material is copyrighted by either the Radiological Society of North America (RSNA), 820 Jorie Boulevard, Oak Brook, IL 60523-2251 or the American College of Radiology (ACR), 1891 Preston White Drive, Reston, VA 20191-4397. Commercial reproduction or multiple distribution by any traditional or electronically based reproduction/publication method is prohibited.

Copyright ® 2025 Radiological Society of North America, Inc.