



Pneumonia

Pneumonia is an infection that causes inflammation in one or both of the lungs and may be caused by a virus, bacteria, fungi or other germs.

Your doctor may conduct a physical exam and use chest x-ray, chest CT, chest ultrasound, or needle biopsy of the lung to help diagnose your condition. Your doctor may further evaluate your condition and lung function using thoracentesis, chest tube placement or image-guided abscess drainage.



What is pneumonia?

Pneumonia is an infection that causes inflammation in one or both of the lungs. It can be caused by a virus, bacteria, fungi or other germs. The infection is usually acquired when a person breathes in air carrying germs.

Patients with pneumonia could have the following symptoms:

- cough that produces phlegm or sometimes blood
- fever
- shortness of breath or difficulty breathing
- chills or shaking
- fatigue
- sweating
- chest or muscle pain

Those most at risk for developing pneumonia are young children or people over the age of 65.

People with existing health problems are also at increased risk. Risk factors and circumstances that may increase a person's chances of developing pneumonia include:

- having illnesses such as emphysema, HIV/AIDS or other lung diseases or conditions that affect the immune system
- having the flu
- exposure to and inhalation of various chemicals
- smoking or excessive drinking
- a prolonged stay in the hospital or intensive care
- recent surgery
- recent injury

Pneumonia can sometimes lead to serious complications, such as respiratory system failure, spread of infections, fluid surrounding the lungs, abscesses or uncontrolled inflammation throughout the body (sepsis). The condition can also be fatal, so it is important to seek immediate medical attention if you are experiencing these symptoms.

How is pneumonia diagnosed and evaluated?

Your primary doctor will begin by asking you about your medical history and symptoms. You will also undergo a physical exam, so that your doctor can listen to your lungs. In checking for pneumonia, your doctor will listen for abnormal sounds like crackling, rumbling or wheezing. If your doctor thinks you may have pneumonia, an imaging test may be performed to confirm the diagnosis.

One or more of the following tests may be ordered to evaluate for pneumonia:

- **Chest x-ray:** An x-ray exam will allow your doctor to see your lungs, heart and blood vessels to help determine if you have pneumonia. When interpreting the x-ray, the radiologist will look for white spots in the lungs (called infiltrates) that identify an infection. This exam will also help determine if you have any complications related to pneumonia such as abscesses or pleural effusions (fluid surrounding the lungs).
- **CT of the lungs:** A CT scan of the chest may be done to see finer details within the lungs and detect pneumonia that may be more difficult to see on a plain x-ray. A CT scan also shows the airway (trachea and bronchi) in great detail and can help determine if pneumonia may be related to a problem within the airway. A CT scan can also show complications of pneumonia, abscesses or pleural effusions and enlarged lymph nodes.
- **Ultrasound of the chest:** Ultrasound may be used if fluid surrounding the lungs is suspected. An ultrasound exam will help determine how much fluid is present and can aid in determining the cause of the fluid.
- **MRI of the chest:** MRI is not generally used to evaluate for pneumonia but may be used to look at the heart, vessels of the chest and chest wall structures. If the lungs are abnormal because of excess fluid, infection or tumor, an MRI may provide additional information about the cause or extent of

these abnormalities.

- Needle biopsy of the lung: Your doctor may request a biopsy of your lung(s) to determine the cause of pneumonia. This procedure involves removing several small samples from your lung(s) and examining them. Biopsies of the lung can be done using x-ray, CT, ultrasound and/or MRI.

How is pneumonia treated?

The following image-guided treatments may be used for pneumonia:

- Thoracentesis: Fluid may be taken from your chest cavity and studied to help your doctor determine which germ is causing your illness. X-ray, CT and/or ultrasound may be used during thoracentesis. The fluid removed during this procedure may also help provide symptom relief.
- Chest tube placement: During this procedure, also known as thoracostomy, a thin plastic tube is inserted into the pleural space (the area between the chest wall and lungs). The tube can help remove excess fluid or air. The procedure is performed under the guidance of CT or ultrasound.
- Image-guided abscess drainage: Image-guidance helps direct placement of a needle into the abscess cavity and can aid during insertion of a drainage tube. If an abscess has formed in the lungs, it may be drained by inserting a small drainage tube (catheter). Image guidance, including fluoroscopy, x-ray, ultrasound or CT, is used.

Each of these tests will help your doctor further evaluate your lungs and lung function or help determine the type of germ causing your pneumonia.

Disclaimer

This information is copied from the RadiologyInfo Web site (<http://www.radiologyinfo.org>) which is dedicated to providing the highest quality information. To ensure that, each section is reviewed by a physician with expertise in the area presented. All information contained in the Web site is further reviewed by an ACR (American College of Radiology) - RSNA (Radiological Society of North America) committee, comprising physicians with expertise in several radiologic areas.

However, it is not possible to assure that this Web site contains complete, up-to-date information on any particular subject. Therefore, ACR and RSNA make no representations or warranties about the suitability of this information for use for any particular purpose. All information is provided "as is" without express or implied warranty.

Please visit the RadiologyInfo Web site at <http://www.radiologyinfo.org> to view or download the latest information.

Note: Images may be shown for illustrative purposes. Do not attempt to draw conclusions or make diagnoses by comparing these images to other medical images, particularly your own. Only qualified physicians should interpret images; the radiologist is the physician expert trained in medical imaging.

Copyright

This material is copyrighted by either the Radiological Society of North America (RSNA), 820 Jorie Boulevard, Oak

Brook, IL 60523-2251 or the American College of Radiology (ACR), 1891 Preston White Drive, Reston, VA 20191-4397. Commercial reproduction or multiple distribution by any traditional or electronically based reproduction/publication method is prohibited.

Copyright © 2020 Radiological Society of North America, Inc.