

CT Colonography

This information is reviewed by a physician with expertise in the area presented and is further reviewed by committees from the American College of Radiology (ACR) and the Radiological Society of North America (RSNA), comprising physicians with expertise in several radiologic areas.

What is CT Colonography?

CT scanning—sometimes called CAT scanning—is a noninvasive medical test that helps physicians diagnose and treat medical conditions.

CT scanning combines special x-ray equipment with sophisticated computers to produce multiple images or pictures of the inside of the body. These cross-sectional images of the area being studied can then be examined on a computer monitor or printed.

CT scans of internal organs, bone, soft tissue and blood vessels provide greater clarity and reveal more details than regular x-ray exams.

CT colonography uses CT scanning to obtain an interior view of the colon (the large intestine) that is otherwise only seen with a more invasive procedure where an endoscope is inserted into the rectum.

What are some common uses of the procedure?

The major reason for performing CT colonography is to screen for polyps or cancers in the large intestine. Polyps are growths that arise from the inner lining of the intestine. Some polyps may grow and turn into cancers.

The goal of screening with colonography is to find these growths in their early stages, so that they can be removed before cancer has had a chance to develop. Most physicians agree that everyone older than 50 years should be screened for polyps every seven to 10 years. Individuals at increased risk or with a family history of colon cancer may start screening at age 40 or younger and may be screened at shorter intervals (for example, every five years). Risk factors for the disease include a history of polyps, a family history of colon cancer, or the presence of blood in the stool.

How should I prepare?

You should wear comfortable, loose-fitting clothing to your exam. You may be given a gown to wear during the procedure.

Women should always inform their physician and the CT technologist if there is any possibility that they are pregnant.

It is very important to clean out your colon the night before your CT colonography examination so that the radiologist can clearly see any polyps that might be present. You will be asked to take either a set of pills or a cathartic liquid. Some common preparations are the Fleet Prep Kit 1 (phospho-soda and Bisacodyl) and NuLytely®, Go-Lytely® (Polyethylene glycol electrolyte solutions) or Magnesium Citrate. Additional agents may also be taken the day before the exam. These may include small quantities of barium and iodinated liquids. These agents help the radiologist better distinguish stool from polyps.

Be sure to inform your physician if you have heart, liver or kidney disease to be certain that the bowel prep will be safe. On the day before your exam, you should limit your food intake to clear liquids such as broth, tea or juice. You will be able to resume your usual diet immediately after the exam.

What does the equipment look like?

The CT scanner is typically a large, box like machine with a hole, or short tunnel, in the center. You will lie on a narrow examination table that slides into and out of this tunnel. Rotating around you, the x-ray tube and electronic x-ray detectors are located opposite each other in a ring, called a gantry. The computer workstation that processes the imaging information is located in a separate room, where the technologist operates the scanner and monitors your examination.

During CT colonography, you will be asked to lie on your back and then on your stomach or side.

How does the procedure work?

In many ways CT scanning works very much like other x-ray examinations. X-rays are a form of radiation—like light or radio waves—that can be directed at the body. Different body parts absorb the x-rays in varying degrees.

In a conventional x-ray exam, a small burst of radiation is aimed at and passes through the body, recording an image on photographic film or a special digital image recording plate. Bones appear white on the x-ray; soft tissue shows up in shades of gray and air appears black.

With CT scanning, numerous x-ray beams and a set of electronic x-ray detectors rotate around you, measuring the amount of radiation being absorbed throughout your body. At the same time, the examination table is moving through the scanner, so that the x-ray beam follows a spiral path. A special computer program processes this large volume of data to create two-dimensional cross-sectional images of your body, which are then displayed on a monitor. This technique is called helical or spiral CT.

CT imaging is sometimes compared to looking into a loaf of bread by cutting the loaf into thin slices. When the image slices are reassembled by computer software, the result is a very detailed multidimensional view of the body's interior.

Refinements in detector technology allow new CT scanners to obtain multiple slices in a single rotation. These scanners, called "multislice CT" or "multidetector CT," allow thinner slices to be obtained in a shorter period of time, resulting in more detail and additional view capabilities.

Modern CT scanners are so fast that they can scan through large sections of the body in just a few seconds. Such speed is beneficial for all patients but especially children, the elderly and critically ill.

For CT colonography, the computer generates a detailed three-dimensional model of the abdomen and pelvis, which the radiologist uses to view the bowel in a way that simulates traveling down the colon with an endoscope. This is why it is often called a virtual colonoscopy.

How is the procedure performed?

The technologist begins by positioning you on the CT examination table, usually lying flat on your back or possibly on your side or on your stomach. Straps and pillows may be used to help you maintain the correct position and to hold still during the exam.

A very small, flexible tube will be passed two inches into your rectum to allow air to be gently pumped into the colon using a hand-held squeeze bulb. Sometimes an electronic pump is used to deliver carbon dioxide gas into the colon. The purpose of the gas is to distend the colon as much as possible to eliminate any folds or wrinkles that might obscure polyps from the physician's view.

Next, the table will move through the scanner. Patients are asked to hold their breath for about 15 seconds before turning over and lying on their back or side for a second pass is made through the scanner. In some centers the sequence of positions may be the opposite: facing upward first and then facing down. Once the scan is done, the tube is removed.

The entire examination is usually completed within 15 minutes.

What will I experience during and after the procedure?

The vast majority of patients who have CT colonography report a feeling of fullness when the colon is inflated during the exam, as if they need to pass gas. Significant pain is uncommon, occurring in fewer than 5 percent of patients. A muscle-relaxing drug may be injected intravenously or subcutaneously to lessen discomfort, but this is seldom necessary. After the tube is inserted, your privacy will be respected. The scanning procedure itself causes no pain or other symptoms.

When you enter the CT scanner, special lights may be used to ensure that you are properly positioned. With modern CT scanners, you will hear only slight buzzing, clicking and whirring sounds as the CT scanner revolves around you during the imaging process.

You will be alone in the exam room during the CT scan. However, the technologist will be able to see, hear and speak with you at all times.

After a CT exam, you can return to your normal activities.

Who interprets the results and how do I get them?

A physician, usually a radiologist with expertise in supervising and interpreting radiology examinations, will analyze the images and send a signed report to your primary care physician or the physician who referred you for the exam, who will discuss the results with you.

What are the benefits vs. risks?

Benefits

- This new minimally invasive test provides three-dimensional images that can depict many polyps and other lesions as clearly as when they are directly seen by optical colonoscopy.
- CT colonography has a markedly lower risk of perforating the colon than conventional colonoscopy. Most of those examined do not have polyps, and can be spared having to undergo a full colonoscopy.
- CT colonography is an excellent alternative for patients who have clinical factors that increase the risk of complications from colonoscopy, such as treatment with a blood thinner or a severe breathing problem.
- Elderly patients, especially those who are frail or ill, will tolerate CT colonography better than conventional colonoscopy.
- CT colonography can be helpful when colonoscopy cannot be completed because the bowel is narrowed or obstructed for any reason, such as by a large tumor.
- If conventional colonoscopy cannot reach the full length of the colon—which occurs up to 10 percent of the time—CT colonography can be performed on the same day because the colon has already been cleansed.
- CT colonography provides clearer and more detailed images than does a conventional barium enema x-ray examination.
- CT colonography is tolerated well. Sedation and pain-relievers are not needed, so there is no recovery period.
- CT colonography is less costly than colonoscopy.
- CT colonography exams are considered “low dose,” meaning there is low radiation exposure to the patient.
- No radiation remains in a patient’s body after a CT examination.
- X-rays used in CT scans usually have no side effects.

Risks

- There is a very small risk that inflating the colon with air could injure or perforate the bowel. This has been estimated to happen in fewer than one in 2,000 patients.
- There is always a slight chance of cancer from excessive exposure to radiation. However, the benefit of an accurate diagnosis far outweighs the risk.
- The effective radiation dose from this procedure is about 10 mSv, which is about the same as the average person receives from background radiation in three years.
- Women should always inform their physician and x-ray or CT technologist if there is any possibility that they are pregnant.
- CT scanning is, in general, not recommended for pregnant women unless medically necessary because of potential risk to the baby.

What are the limitations of CT Colonography?

A person who is very large may not fit into the opening of a conventional CT scanner or may be over the weight limit for the moving table.

CT colonography is strictly a diagnostic procedure. If any significant polyps are found, they will have to be removed by conventional colonoscopy.

Many insurance companies do not cover CT colonography as a screening test for colonic polyps, but they may cover the cost if a patient has symptoms related to the colon, is unable to tolerate a conventional colonoscopy or if conventional colonoscopy fails to visualize the full length of the colon.

Disclaimer:

This information is copied from the RadiologyInfo Web site (<http://www.radiologyinfo.org>) which is dedicated to providing the highest quality information. To ensure that, each section is reviewed by a physician with expertise in the area presented. All information contained in the Web site is further reviewed by an ACR (American College of Radiology) - RSNA (Radiological Society of North America) committee, comprising physicians with expertise in several radiologic areas.

However, it is not possible to assure that this Web site contains complete, up-to-date information on any particular subject. Therefore, ACR and RSNA make no representations or warranties about the suitability of this information for use for any particular purpose. All information is provided "as is" without express or implied warranty.

Please visit the RadiologyInfo Web site at <http://www.radiologyinfo.org> to view or download the latest information.

Note: Images are shown for illustrative purposes. Do not attempt to draw conclusions or make diagnoses by comparing these images to other medical images, particularly your own. Only qualified physicians should interpret images; the radiologist is the physician expert trained in medical imaging.

Copyright © 2009 Radiological Society of North America, Inc.
Send comments via email to: webmast2@rsna.org