

## Pneumonia in the Immunocompetent Child

Pneumonia (https://www.radiologyinfo.org/en/info/pneumonia) is an infection of one or both lungs. Pneumonia may come from the community or from a health care environment; both are common in children. Imaging is not required for otherwise healthy children, 3 months of age or older, with pneumonia.

Chest x-ray (https://www.radiologyinfo.org/en/info/chestrad) is usually appropriate as the initial imaging test if community-acquired pneumonia does not respond to treatment, if the child is hospitalized, or if hospital-acquired pneumonia is suspected. Ultrasound (https://www.radiologyinfo.org/en/info/genus) (US) chest may also be appropriate.

Pneumonia can be complicated by pleural effusion, a fluid buildup between the lungs and the chest cavity; US is usually appropriate to determine the size and features of fluid buildup and may help guide drainage. Chest x-ray taken lying down may be used to distinguish flows or fluid collection.

Pneumonia can be complicated by suspected bronchopleural fistula, an abnormal communication between the lungs and the chest cavity; CT chest (https://www.radiologyinfo.org/en/info/chestct) with intravenous (IV) contrast is usually appropriate. CT chest without IV contrast may also be appropriate.

For pneumonia complicated by suspected lung abscess, or an infected mass, CT chest with IV contrast is usually appropriate. US chest and MRI chest (<a href="https://www.radiologyinfo.org/en/info/chestmr">https://www.radiologyinfo.org/en/info/chestmr</a>) without and with contrast may be appropriate.

CT chest without IV contrast is usually appropriate to evaluate for underlying lung disease for children with recurrent nonlocalized pneumonia. For children with recurrent localized pneumonia, CT angiography (https://www.radiologyinfo.org/en/info/angioct) chest focused on the heart with IV contrast or CT chest with IV contrast is usually appropriate.

For more information, see the Pneumonia (https://www.radiologyinfo.org/en/info/pneumonia) page.

— By Celena Romero, PhD, MBA and Diana Bardo, MD. This information originally appeared in the *Journal of the American College of Radiology*.

## Disclaimer

This information is copied from the RadiologyInfo Web site (http://www.radiologyinfo.org) which is dedicated to providing the highest quality information. To ensure that, each section is reviewed by a physician with expertise in the area presented. All information contained in the Web site is further reviewed by an ACR (American College of Radiology) - RSNA (Radiological Society of North America) committee, comprising physicians with expertise in several radiologic areas.

However, it is not possible to assure that this Web site contains complete, up-to-date information on any particular subject. Therefore, ACR and RSNA make no representations or warranties about the suitability of this information for use for any particular purpose. All information is provided "as is" without express or implied warranty.

Please visit the RadiologyInfo Web site at http://www.radiologyinfo.org to view or download the latest information.

**Note:** Images may be shown for illustrative purposes. Do not attempt to draw conclusions or make diagnoses by comparing these images to other medical images, particularly your own. Only qualified physicians should interpret images; the radiologist is the physician expert trained in medical imaging.

## Copyright

This material is copyrighted by either the Radiological Society of North America (RSNA), 820 Jorie Boulevard, Oak Brook, IL 60523-2251 or the American College of Radiology (ACR), 1891 Preston White Drive, Reston, VA 20191-4397. Commercial reproduction or multiple

	distribution by any traditional or electronically based reproduction/publication method is prohibited.	
	Copyright ® 2025 Radiological Society of North America, Inc.	
moni	ia in the Immunocompetent Child © 2025, RadiologyInfo.org	Page 2 of Reviewed Dec-15-202